

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4624

CODE: (SP)

DATE: 08/27/2013

SUBJECT: Exposure to Moderate Sulfate Areas At Or Near Ground Level and/or Seawater

Bidders are hereby advised that this project, or portions of this project, is located in areas of moderate sulfate and/or seawater exposure and will require certain restrictions on the cementitious materials. Either the centerline-soil profile investigation has indicated the presence of moderate sulfate soils at or near ground level or the area is exposed to seawater. Therefore, except for the items listed below, the cementitious materials used in concrete mixtures for the construction items of work which come in contact with the native soils or seawater shall conform to the requirements listed in Subsection 907-701.02 for moderate sulfate and seawater sulfate exposure.

Items not requiring restrictions on the cementitious materials are as follows:

<u>Pay Item</u>	<u>Description</u>
221	Paved Ditches
606	Guardrail Anchors
607	Fence Post Footings
608	Sidewalks
609	Curb and Gutter
614	Driveways
616	Median and Island Pavement
630	Sign Footings, except Overhead Sign Supports

Unless otherwise specified, no other restrictions on the cementitious materials shall apply to other concrete items or structures.